

(10) Overview of the uphill:

	No.	PTC	% of TC
- shorter climbs	3	38	86.4
- steep climbs	1	0	0.0
- descents	2	0	0.0
- undulated terrain	5	6	13.6

(11) Stadium area:

		Indoor working room:	
Fixed stadium area	yes	Timekeeping	yes
Fixed building	yes	Announcer	yes
Temporary stadium	no	Jury	yes
Temporary building	no	Race office	yes
Good infrastructure (access, parking, media, etc.)	yes		
Skitesting area along course/near stadium	yes		
Warm up track near the stadium	yes		

(12) Category for the stadium and course layout:

	Interval	Sprint	Skiathlon	Relay	Mass start
Stadium suitable for following competition formats		yes			
Course suitable for following competition formats with					
a) Classical technique		yes			
b) Free technique		yes			
Course suitable for relay and skiathlon competition					
a) On same course					
b) Combined on different courses (C+D or D+D)					

(13) Possibility of snow making:

yes

(14) Map Material:

not ready

(15) Source of accurate elevation data:

Garmin gps meter

(16) Safety considerations:

downhills are safe

(17) General remarks:

Unfortunately, the entire homologization process in Saarijarvi will not be completed in time.

(18) Date of first inspection: 2019/7/22

(19) Date of final inspection:

(20) Summary of terrain characteristics

	#	at m	PHD (m)	PTC (m)	grad. (%)	avg. grad.(%)		
A-climb	■	total		0			0.0% part of TC	
B-climb	■	1	169	11	14	-10.6 - 30.6	9.3	C at 200m, PTC: 8m, 27.6%
		2	620	13	13	5.1 - 15.7	7.7	
		3	1,152	11	11	9.2 - 22.3	14.7	
		total			38			86.4% part of TC
C-climb	■	total		0			0.0% part of TC	
undulated terrain	■	total		6			13.6% part of TC	
		total climb		44				